

Des.No- 3368/19

21-10-19

**Particulars of Marks secured by candidates who had attended skill test for the post of
Typist-Copyist vide This office Notification No.03/2018 dated 14.12.18.**

Sl. NO	Roll NO.	Application No.	Kannada skill test		English skill test		Result
			Obtained marks (Max. Marks.50)	Percentage	Obtained marks (Max. Marks.50)	Percentage	
1	1	KOD1863TCP000002	0.00	0.00	0.00	0.00	Fail
2	2	KOD1863TCP000003	36.44	72.88	0.00	0.00	Fail
3	5	KOD1863TCP000006	29.66	59.32	0.00	0.00	Fail
4	6	KOD1863TCP000008	35.17	70.34	21.56	43.11	Fail
5	8	KOD1863TCP000010	46.19	92.37	32.44	64.89	Pass
6	10	KOD1863TCP000013	31.36	62.71	20.00	40.00	Fail
7	15	KOD1863TCP000018	22.88	45.76	29.56	59.11	Fail
8	16	KOD1863TCP000019	43.22	86.44	0.00	0.00	Fail
9	17	KOD1863TCP000020	43.64	87.29	30.22	60.44	Pass
10	21	KOD1863TCP000025	47.03	94.07	37.11	74.22	Pass
11	26	KOD1863TCP000031	48.31	96.61	42.44	84.89	Pass
12	32	KOD1863TCP000037	49.15	98.31	32.67	65.33	Pass
13	35	KOD1863TCP000041	49.15	98.31	34.00	68.00	Pass
14	41	KOD1863TCP000047	49.58	99.15	48.67	97.33	Pass
15	44	KOD1863TCP000050	49.15	98.31	37.11	74.22	Pass
16	50	KOD1863TCP000056	46.19	92.37	34.67	69.33	Pass
17	52	KOD1863TCP000058	37.29	74.58	24.67	49.33	Fail
18	54	KOD1863TCP000060	36.44	72.88	19.33	38.67	Fail
19	55	KOD1863TCP000061	21.61	43.22	0.00	0.00	Fail
20	57	KOD1863TCP000064	33.05	66.10	0.00	0.00	Fail
21	60	KOD1863TCP000068	8.90	17.80	0.00	0.00	Fail
22	63	KOD1863TCP000071	33.47	66.95	31.33	62.67	Pass
23	64	KOD1863TCP000072	29.66	59.32	20.00	40.00	Fail
24	65	KOD1863TCP000073	13.56	27.12	0.00	0.00	Fail

25	67	KOD1863TCP000075	43.64	87.29	24.44	48.89	Fail
26	70	KOD1863TCP000078	24.58	49.15	0.00	0.00	Fail
27	71	KOD1863TCP000079	28.39	56.78	16.22	32.44	Fail
28	75	KOD1863TCP000083	32.20	64.41	21.56	43.11	Fail
29	78	KOD1863TCP000086	20.34	40.68	21.33	42.67	Fail
30	79	KOD1863TCP000087	27.12	54.24	20.67	41.33	Fail
31	81	KOD1863TCP000089	42.37	84.75	27.78	55.56	Pass
32	82	KOD1863TCP000091	35.59	71.19	31.11	62.22	Pass
33	84	KOD1863TCP000093	43.64	87.29	14.67	29.33	Fail
34	85	KOD1863TCP000094	25.85	51.69	26.89	53.78	Pass
35	86	KOD1863TCP000095	37.71	75.42	44.00	88.00	Pass
36	95	KOD1863TCP000105	27.97	55.93	24.22	48.44	Fail
37	97	KOD1863TCP000107	36.02	72.03	36.44	72.89	Pass
38	98	KOD1863TCP000109	27.97	55.93	0.00	0.00	Fail
39	102	KOD1863TCP000113	34.75	69.49	0.00	0.00	Fail
40	104	KOD1863TCP000115	32.63	65.25	31.78	63.56	Pass
41	107	KOD1863TCP000118	39.41	78.81	34.44	68.89	Pass
42	112	KOD1863TCP000123	19.92	39.83	37.56	75.11	Fail
43	115	KOD1863TCP000126	35.59	71.19	43.78	87.56	Pass
44	116	KOD1863TCP000128	39.83	79.66	37.11	74.22	Pass
45	118	KOD1863TCP000139	27.97	55.93	16.44	32.89	Fail
46	119	KOD1863TCP000131	17.37	34.75	38.89	77.78	Fail
47	121	KOD1863TCP000133	47.88	95.76	44.00	88.00	Pass
48	127	KOD1863TCP000140	41.95	83.90	26.44	52.89	Pass
49	131	KOD1863TCP000145	31.36	62.71	37.33	74.67	Pass
50	138	KOD1863TCP000152	43.22	86.44	32.89	65.78	Pass
51	140	KOD1863TCP000155	49.58	99.15	32.67	65.33	Pass
52	141	KOD1863TCP000156	0.00	0.00	0.00	0.00	Fail
53	143	KOD1863TCP000158	0.00	0.00	0.00	0.00	Fail


54	144	KOD1863TCP000159	42.80	85.59	22.44	44.89	Fail
55	146	KOD1863TCP000162	35.59	71.19	38.67	77.33	Pass
56	147	KOD1863TCP000163	43.22	86.44	38.67	77.33	Pass
57	149	KOD1863TCP000166	27.97	55.93	0.00	0.00	Fail
58	152	KOD1863TCP000169	42.37	84.75	42.00	84.00	Pass
59	153	KOD1863TCP000170	25.85	51.69	0.00	0.00	Fail
60	154	KOD1863TCP000171	42.37	84.75	37.56	75.11	Pass
61	158	KOD1863TCP000176	25.42	50.85	0.00	0.00	Fail
62	161	KOD1863TCP000180	34.32	68.64	29.78	59.56	Pass
63	165	KOD1863TCP000184	27.97	55.93	29.56	59.11	Pass
64	166	KOD1863TCP000185	33.90	67.80	41.11	82.22	Pass
65	167	KOD1863TCP000187	31.78	63.56	38.89	77.78	Pass
66	168	KOD1863TCP000188	20.76	41.53	0.00	0.00	Fail
67	169	KOD1863TCP000189	41.10	82.20	29.11	58.22	Pass
68	170	KOD1863TCP000191	41.53	83.05	39.11	78.22	Pass
69	172	KOD1863TCP000193	25.42	50.85	29.11	58.22	Pass
70	179	KOD1863TCP000200	17.37	34.75	38.22	76.44	Fail
71	183	KOD1863TCP000204	14.41	28.81	14.89	29.78	Fail
72	187	KOD1863TCP000208	30.08	60.17	24.00	48.00	Fail
73	189	KOD1863TCP000210	26.27	52.54	42.22	84.44	Pass
74	193	KOD1863TCP000214	48.31	96.61	36.67	73.33	Pass
75	195	KOD1863TCP000216	38.56	77.12	22.00	44.00	Fail
76	196	KOD1863TCP000217	37.29	74.58	31.33	62.67	Pass
77	206	KOD1863TCP000228	33.90	67.80	30.67	61.33	Pass
78	208	KOD1863TCP000230	35.17	70.34	27.33	54.67	Pass
79	209	KOD1863TCP000231	37.29	74.58	29.33	58.67	Pass
80	212	KOD1863TCP000234	32.63	65.25	25.33	50.67	Pass
81	213	KOD1863TCP000235	42.80	85.59	36.67	73.33	Pass
82	216	KOD1863TCP000238	43.22	86.44	26.89	53.78	Pass

83	219	KOD1863TCP000241	45.76	91.53	33.56	67.11	Pass
84	221	KOD1863TCP000243	43.64	87.29	33.56	67.11	Pass
85	224	KOD1863TCP000247	40.25	80.51	34.22	68.44	Pass
86	225	KOD1863TCP000248	30.08	60.17	34.67	69.33	Pass
87	228	KOD1863TCP000251	40.68	81.36	29.33	58.67	Pass
88	230	KOD1863TCP000254	44.49	88.98	27.56	55.11	Pass
89	232	KOD1863TCP000256	47.88	95.76	39.33	78.67	Pass
90	233	KOD1863TCP000417	47.03	94.07	43.11	86.22	Pass
91	238	KOD1863TCP000263	38.56	77.12	32.00	64.00	Pass
92	242	KOD1863TCP000268	11.02	22.03	0.00	0.00	Fail
93	243	KOD1863TCP000269	41.95	83.90	45.33	90.67	Pass
94	244	KOD1863TCP000270	36.02	72.03	17.33	34.67	Fail
95	246	KOD1863TCP000272	34.32	68.64	21.11	42.22	Fail
96	248	KOD1863TCP000274	38.98	77.97	39.33	78.67	Pass
97	251	KOD1863TCP000277	13.56	27.12	29.78	59.56	Fail
98	255	KOD1863TCP000281	36.86	73.73	24.89	49.78	Fail
99	256	KOD1863TCP000282	29.66	59.32	33.33	66.67	Pass
100	257	KOD1863TCP000283	31.36	62.71	21.78	43.56	Fail
101	258	KOD1863TCP000284	36.02	72.03	18.44	36.89	Fail
102	260	KOD1863TCP000286	42.37	84.75	30.22	60.44	Pass
103	263	KOD1863TCP000290	19.92	39.83	21.33	42.67	Fail
104	268	KOD1863TCP000295	39.41	78.81	20.44	40.89	Fail
105	269	KOD1863TCP000296	34.75	69.49	15.78	31.56	Fail
106	271	KOD1863TCP000298	37.29	74.58	39.78	79.56	Pass
107	273	KOD1863TCP000300	44.49	88.98	32.44	64.89	Pass
108	274	KOD1863TCP000301	48.31	96.61	47.11	94.22	Pass
109	278	KOD1863TCP000305	37.29	74.58	40.67	81.33	Pass
110	280	KOD1863TCP000307	25.85	51.69	24.67	49.33	Fail
111	281	KOD1863TCP000308	38.56	77.12	43.11	86.22	Pass

112	282	KOD1863TCP000309	37.29	74.58	36.89	73.78	Pass
113	291	KOD1863TCP000322	18.64	37.29	36.00	72.00	Fail
114	294	KOD1863TCP000325	28.39	56.78	27.56	55.11	Pass
115	297	KOD1863TCP000328	30.51	61.02	16.67	33.33	Fail
116	300	KOD1863TCP000331	33.05	66.10	12.89	25.78	Fail
117	303	KOD1863TCP000334	44.92	89.83	34.89	69.78	Pass
118	307	KOD1863TCP000339	9.32	18.64	34.89	69.78	Fail
119	308	KOD1863TCP000342	19.49	38.98	15.78	31.56	Fail
120	312	KOD1863TCP000346	43.22	86.44	24.67	49.33	Fail
121	313	KOD1863TCP000347	44.92	89.83	20.44	40.89	Fail
122	321	KOD1863TCP000356	45.76	91.53	26.44	52.89	Pass
123	325	KOD1863TCP000360	47.46	94.92	32.00	64.00	Pass
124	327	KOD1863TCP000362	45.76	91.53	29.78	59.56	Pass
125	332	KOD1863TCP000368	47.88	95.76	40.00	80.00	Pass
126	334	KOD1863TCP000370	48.31	96.61	32.22	64.44	Pass
127	339	KOD1863TCP000378	46.19	92.37	25.56	51.11	Pass
128	345	KOD1863TCP000384	49.58	99.15	42.44	84.89	Pass
129	347	KOD1863TCP000387	41.53	83.05	20.44	40.89	Fail
130	351	KOD1863TCP000392	47.46	94.92	31.56	63.11	Pass
131	352	KOD1863TCP000393	43.64	87.29	30.22	60.44	Pass
132	359	KOD1863TCP000400	3.39	6.78	41.33	82.67	Fail
133	361	KOD1863TCP000402	41.53	83.05	39.78	79.56	Pass
134	363	KOD1863TCP000404	42.80	85.59	22.89	45.78	Fail
135	364	KOD1863TCP000405	42.37	84.75	38.22	76.44	Pass
136	368	KOD1863TCP000409	44.07	88.14	38.89	77.78	Pass
137	370	KOD1863TCP000411	42.37	84.75	48.67	97.33	Pass
138	378	KOD1863TCP000420	22.03	44.07	37.11	74.22	Fail
139	381	KOD1863TCP000423	45.76	91.53	29.11	58.22	Pass
140	384	KOD1863TCP000426	44.92	89.83	28.89	57.78	Pass

141	385	KOD1863TCP000427	38.56	77.12	34.89	69.78	Pass
142	395	KOD1863TCP000439	41.10	82.20	36.89	73.78	Pass
143	399	KOD1863TCP000446	33.05	66.10	38.89	77.78	Pass
144	401	KOD1863TCP000448	43.22	86.44	40.44	80.89	Pass
145	402	KOD1863TCP000449	40.68	81.36	30.22	60.44	Pass
146	405	KOD1863TCP000452	46.19	92.37	42.89	85.78	Pass
147	407	KOD1863TCP000454	13.56	27.12	20.89	41.78	Fail
148	415	KOD1863TCP000466	46.61	93.22	44.22	88.44	Pass
149	418	KOD1863TCP000469	19.07	38.14	36.00	72.00	Fail
150	420	KOD1863TCP000472	39.83	79.66	43.11	86.22	Pass
151	424	KOD1863TCP000478	21.19	42.37	44.67	89.33	Fail
152	425	KOD1863TCP000480	0.00	0.00	42.67	85.33	Fail
153	427	KOD1863TCP000482	42.80	85.59	39.11	78.22	Pass
154	431	KOD1863TCP000489	36.44	72.88	16.67	33.33	Fail
155	432	KOD1863TCP000490	41.95	83.90	40.00	80.00	Pass
156	436	KOD1863TCP000494	41.10	82.20	32.22	64.44	Pass
157	437	KOD1863TCP000495	25.85	51.69	26.22	52.44	Pass
158	441	KOD1863TCP000499	38.56	77.12	37.56	75.11	Pass
159	444	KOD1863TCP000502	37.71	75.42	36.22	72.44	Pass
160	445	KOD1863TCP000503	32.63	65.25	42.89	85.78	Pass
161	446	KOD1863TCP000504	34.32	68.64	44.89	89.78	Pass
162	456	KOD1863TCP000516	46.61	93.22	30.44	60.89	Pass
163	457	KOD1863TCP000517	44.49	88.98	48.22	96.44	Pass
164	459	KOD1863TCP000519	35.59	71.19	32.89	65.78	Pass
165	461	KOD1863TCP000521	40.25	80.51	0.00	0.00	Fail
166	465	KOD1863TCP000525	41.53	83.05	46.89	93.78	Pass
167	469	KOD1863TCP000529	46.19	92.37	35.11	70.22	Pass
168	470	KOD1863TCP000530	38.14	76.27	22.67	45.33	Fail
169	471	KOD1863TCP000531	44.07	88.14	36.89	73.78	Pass

170	472	KOD1863TCP000532	0.00	0.00	35.78	71.56	Fail
171	473	KOD1863TCP000534	22.88	45.76	0.00	0.00	Fail
172	474	KOD1863TCP000535	42.37	84.75	41.78	83.56	Pass
173	476	KOD1863TCP000537	24.15	48.31	0.00	0.00	Fail
174	477	KOD1863TCP000538	33.05	66.10	37.33	74.67	Pass
175	483	KOD1863TCP000544	33.90	67.80	36.00	72.00	Pass
176	490	KOD1863TCP000551	10.17	20.34	13.78	27.56	Fail
177	492	KOD1863TCP000553	34.75	69.49	33.78	67.56	Pass
178	501	KOD1863TCP000563	21.61	43.22	18.44	36.89	Fail
179	502	KOD1863TCP000564	45.76	91.53	40.67	81.33	Pass
180	503	KOD1863TCP000565	25.42	50.85	18.00	36.00	Fail
181	506	KOD1863TCP000568	16.53	33.05	22.67	45.33	Fail
182	510	KOD1863TCP000572	20.76	41.53	23.56	47.11	Fail


 (V.V.Mallapur)
 Prl.District & Sessions Judge
 Kodagu-Madikeri